





















Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page										
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS
DIN 1	 Taper pins	2339**	•					• (A1)					
	PIN-TAP												
DIN 7	 Parallel pins	2338**	•					• (A1)	•				
	PIN-PAr												
DIN 84	 Cap screws with slot	1207***	•	•	•			•	•		•	•	
	SCR-CAP												
DIN 85	 Pan head screws	1580***	•	•				•	•			•	
	SCR-PANHEAD												
DIN 93	 Washers with rags A form	°	•					•	•				
DIN 94	 Split pins	1234**		•	•			•	•				
DIN 95	 Raised head wood screws with slot			•				•	•		•		
DIN 96	 Round head wood screws with slot			•				•	•		•		
	SHR-HRD												
DIN 97	 Countersunk wood screws with slot			•				•	•		•		
	SCR-CNTRSNK												
DIN 125	 Washers A	7089**	•	•	•	•	•	•	•				
DIN 125	 Washers B	7090**	•	•	•						•		
DIN 126	 Washers	7091*	•	•									
DIN 127	 Spring washers A	°	•	•	•								
DIN 127	 Spring washers B	°	•	•			•		•	•			
DIN 128	 Spring washers A	°	•	•	•			•	•				
DIN 134	 Washers	°	•	•									

*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
°) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket















Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page										
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS
DIN 137	 Spring washers A	°	•	•	•			•					
DIN 137	 Spring washers B	°	•	•	•			•	•				
DIN 315	 Wing nuts		•	•						•			
DIN 316	 Wing screws SCR-WNG			•				•	•				
DIN 319	 Spherical knob												•
DIN 404	 Capstan screw, slotted							• (A1)					
DIN 417	 Threaded pins with slot and pivot PIN-PVT	7435*	•					•					
DIN 427	 Shaft screws, slotted SCR-SHA	2342*	•						•				
DIN 431	 Tube nuts NUT-PIP-THRD		•					•	•				
DIN 432	 Washers	°	•					•	•				
DIN 433	 Washers	7092**	•	•	•			•	•				
DIN 434	 Washers for U-beams		•	•		•		•	•				
DIN 435	 Washers for double T-beams		•	•		•		•	•				
DIN 436	 Washers		•	•				•	•				
DIN 439	 Hexagon nuts NUT-HEX6	4035*** 8675***	•	•	•			•	•		•		
DIN 440	 Washers R	7094*	•	•	•			•	•				

*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,














°) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page										
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS
DIN 442	 Sealing push-on cap		•										
DIN 443	 Sealing push-on cap B		•										
DIN 444	 Eye bolts A BLT-EYE		•	•									
DIN 444	 Eye bolts B BLT-EYE		•	•				•	•				
DIN 462	 Washers		•										
DIN 463	 Washers		•					•	•				
DIN 464	 Knurled thumb screws SCR-KNRL		•	•				•					
DIN 465	 Knurled thumb screws SCR-KNRL							•					
DIN 466	 Knurled nuts NUT-KNRL		•	•				•					
DIN 467	 Knurled nuts NUT-KNRL		•	•				•					
DIN 470	 Sealing washers		•										
DIN 471	 Circlips for shafts		•	•				•					
DIN 472	 Circlips for holes		•					•					
DIN 508	 T-slots	299*	•										
DIN 525	 Welding studs		•										
DIN 546	 Slotted round nuts NUT-SLT		•					• (A1)	•				













*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
 °) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page										
			St	galv.	galv. zinc-plated	tzn	ZI	A2	A4	Cu	Ms	Al	KS
DIN 551	 Threaded pins with slot and rounded taper PIN-RD TAP	4766*	•					•	•				
DIN 553	 Threaded pins with slot and point PIN-point	7434*	•	•				•	•				
DIN 555	 Hexagon nuts NUT-HEX6	4034***											•
DIN 557	 Square nuts NUT-SQR4			•	•			•	•				
DIN 558	 Hexagon bolts BLT-HEX6	4018***		•									
DIN 562	 Square nuts NUT-SQR4			•	•			•	•				
DIN 571	 Hexagon head wood screw BLT-HEX6			•				•	•				
DIN 580	 Lifting eye bolts BLT-LFTG-EYE		•	•				•	•				
DIN 582	 Lifting eye nuts NUT-RNG		•	•				•	•				
DIN 601	 Hexagon bolts with nut BLT-HEX6	4016***	•	•									
DIN 603	 Pan head screws SCR-PNHD		•	•	•			•	•				
DIN 604	 Countersunk screws with nose SCR-CNTRSNG	4034	•										
DIN 609	 Hexagon head fit bolts BLT-HEX6		•										
DIN 610	 Hexagon head fit bolts BLT-HEX6	°	•										
DIN 653	 Knurled thumb screw SCR-KNRL			•				•					
DIN 660	 Round head rivets	1051*	•					•	•	•		•	





*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
°) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page										
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS
DIN 661	 Countersunk rivets	1051*	•					•		•			
DIN 705	 Adjusting rings	°	•	•				• (A1)					
DIN 835	 Threaded studs		•		•								
	SCR-PIN												
DIN 906	 Sealing screws		•	•	•			•	•				
DIN 906	 Sealing screws with Withworth pipe thread		•	•	•			•	•				
DIN 908	 Sealing screws with metr. fine thread		•	•	•				•				
DIN 908	 Sealing screws with pipe thread		•	•	•			•	•				
DIN 910	 Sealing screws with metr. fine thread		•	•	•			•	•		•		
DIN 910	 Sealing screws with pipe thread		•	•	•			•	•		•		
DIN 911	 Hexagonal L-wrench	2936*	•										
DIN 912	 Cap screws	4762*	•	•	•		•	•	•				
	SCR-CAP												
DIN 913	 Threaded pins	4026*	•	•				•	•				
	PIN-RD TAP												
DIN 914	 Threaded pins	4027*	•	•				•	•				
	PIN-SP												
DIN 915	 Threaded pins	4028*	•	•				•	•				
	SCR-PIN												
DIN 916	 Threaded pins	4029*	•	•				•	•				
	PIN-CRS cutter												









*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
°) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page										
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS
DIN 917	  Cap nuts NUT-CAP		•	•					• (A1)	•	•		
DIN 920	 Pan head screws, slotted SCR-PANHEAD							•					
DIN 921	 Pan head screws SCR-PANHEAD		•					• (A1)					
DIN 923	 Pan head screws with slot and shoulder SCR-PANHEAD		•					• (A1)					
DIN 928	  Square weld nuts SQR-WELD-NUT4		•					•	•				
DIN 929	  Weld nuts SQR-WELD-NUT4		•					•	•				
DIN 931	 Hexagon bolts with shaft BLT-HEX6	4014***	•	•	•	•	•	•	•				
DIN 933	 Hexagon bolts BLT-HEX6	4017***	•	•	•	•	•	•	•		•		•
DIN 934	  Hexagon nuts with metric coarse thread NUT-HEX6	4032***	•	•	•	•	•	•	•		•	•	
DIN 934	  Hexagon nuts with metric fine thread NUT-HEX6	8673***	•	•	•		•	•	•				
DIN 934	  Hexagon nuts with metric fine left hand thread NUT-HEX6		•	•				•	•				
DIN 934	  Hexagon nuts with trapezoidal thread NUT-HEX6		•										
DIN 935	  Castle nuts with coarse thread NUT-CASTLE		•	•				•	•				
DIN 935	  Castle nuts with fine thread NUT-CASTLE		•				•						
DIN 936	  Hexagon nuts with coarse thread, flat NUT-HEX6	4035***	•	•	•			•					







*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
 °) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page										
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS
DIN 936	 Hexagon nuts with fine thread, flat NUT-HEX6	4035	•	•				•					
DIN 938	 Threaded studs							•	•				
DIN 939	 Threaded studs		•	•				•	•				
DIN 960	 Hexagon bolts BLT-HEX6	8765***	•	•			•						
DIN 961	 Hexagon bolts BLT-HEX6	8676***	•	•			•						
DIN 963	 Hexagon bolts SCR-CNTRS NK	2009***	•	•	•			•	•		•		•
DIN 964	 Raised countersunk head screws SCR-RD-HEAD	2010***	•	•				•	•		•		
DIN 965	 Countersunk screws SCR-CNTRS NK	7046***	•	•	•			•	•				
DIN 966	 Raised countersunk head screws SCR-RD-HEAD	7047***	•	•	•			•	•				
DIN 975	 Threaded rods with metric thread THR-ROD	976**	•	•		•		•	•		•		•
DIN 975	 Threaded rods with metric fine thread THR-ROD	976**	•	•									
DIN 975	 Threaded rods with trapezoidal thread THR-ROD		•										
DIN 976	 Threaded pieces THRD-PCS			•				•	•				
DIN 979	 Castle nuts with coarse thread NUT-CASTLE	7038**	•										
DIN 979	 Castle nuts with fine thread NUT-CASTLE	7038**	•										
DIN 980	 Hexagon nuts NUT-HEX6	V 10513***		•	•		•	•	•				

*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
 °) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket












Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page										
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS
DIN 982	 Hexagon nuts NUT-HEX6	7040 ***		•				•	•				
DIN 985	 Hexagon nuts NUT-HEX6	10511 ***		•	•		•	•	•				
DIN 986	 Cap nuts NUT-CAP			•				•					
DIN 988	 Shim rings		•					•					
DIN 988	 Supporting rings		•										
DIN 1052	 Washers							•	•				
DIN 1434	 Split pins			•	•								
DIN 1440	 Washers	8738**	•	•	•			•	•				
DIN 1441	 Washers		•	•				•					
DIN 1471	 Taper grooved pins PIN-TAP-GRV	8744**	•					• (A1)					
DIN 1472	 Taper grooved pins PIN-TAP-GRV	8745**	•					• (A1)					
DIN 1473	 Parallel grooved pins PIN-PAR-GRV	8740**	•					• (A1)					
DIN 1474	 Reversed grooved pins PIN-REV-GRV	8741**	•					•					
DIN 1475	 Center grooved pins PIN-CNTR-GRV	8742**	•										
DIN 1476	 Round head grooved pin	8746*	•					•					
DIN 1478	 Turnbuckles			•									

*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
















⁹) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page										
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS
DIN 1479	 Turnbuckles		•										
DIN 1480	 Turnbuckles		•	•									
DIN 1587	 Cap nuts NUT-CAP		•	•				• (A1)	•	•		•	
DIN 1804	 Notched nuts NUT-CAP		•										
ISO 2338	 Parallel pins PIN-PAr	7**	•										
ISO 4014	 Hexagon bolts with shaft BLT-HEX6	931***	•	•	•			•	•				
ISO 4017	 Hexagon bolts BLT-HEX6	933***	•	•	•			•	•				
ISO 4032	 Hexagon nuts NUT-HEX6	934***		•	•			•	•				
ISO 4035	 Hexagon nuts with metric coarse thread NUT-HEX6	439***		•									
DIN 6319	 Bevel washers/spherical washer		•										
DIN 6325	 Parallel pins PIN-PAr	8734*	•										
DIN 6330	 Hexagon nuts NUT-HEX6		•					•	•				
DIN 6331	 Hexagon nuts NUT-HEX6		•					•	•				
DIN 6334	 Hexagon nuts NUT-HEX6							•	•				
DIN 6340	 Washers		•	•	•								














*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
 °) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page											
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS	
DIN 6796		Conical spring washers	10670 **		•	•			•	•				
DIN 6797		Toothed washers	°	•	•	•			•					
DIN 6798		Serrated lock washers	°	•	•	•			•	•				
DIN 6799		Lock washers		•	•				•					
DIN 6885		Parallel keys		•						•				
DIN 6911		L-wrench		•										
DIN 6912		Cap screws		•	•	•		•	•	•				
DIN 6917		SCR-CAP Washers					•							
DIN 6918		Washers					•							
DIN 6921		Hexagon bolts	1665	•	•				•					
		6SCR-HEX-FLNG												
DIN 6923		Hexagon nuts			•				•	•				
		6NUT-HEX-FLNG												
DIN 6924		Hexagon nuts	7040***		•									
		NUT-HEX6												
DIN 6925		Hexagon nuts	10513 ***		•	•								
		NUT-HEX6												
DIN 6926		Hexagon nut with flange							•	•				
DIN 7343		Spiral spring pins	8750*	•					•					
DIN 7346		Rolled spring pins	13337 *	•										







*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
°) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO		Designation	ISO	Material / catalog page										
				St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS
DIN 7349		Washers		•	•	•			•	•				
DIN EN ISO 7380		Pan head screws SCR-RD-HEAD	7380-1	•	•				•	•				
DIN EN ISO 7380		Pan head screws with hexalobular socket SCR-RD-HEAD	7380-1	•					•					
DIN EN ISO 7380		Round head flanged screws SCR-RND-HD-FLNG	7380-2	•	•				•					
DIN 7500		Self-tapping screw C, M, DE Screws			•	•			•					
DIN 7504		Self-tapping screws K, M, O. R	15480* 15481* 15482* 15483*		•				•					
DIN 7603		Sealing rings A									•			
DIN 7604		Sealing screws SCR-SLNG		•								•		
DIN 7964		Captive screw with hexagon socket SCR-CAP							•					
DIN 7964		Captive hexagonal bolts BLT-HEX6							•					
DIN 7965		Screw-in nuts			•									
DIN 7967		Lock nuts (PAL nuts) NUT-LCK	°	•	•		•		•	•				
DIN 7968		Hexagon head fit bolts BLT-HEX6		•										
DIN 7971		Pan head sheet metal screws SCR-CAP	1481**		•				•					
DIN 7972		Countersunk sheet metal screws SCR-CNTRSNK	1482**		•				•					
DIN 7973		Raised countersunk head sheet metal screws SCR-RD-HEAD	1483**		•				•					







*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
°) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page										
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS
DIN 7976	 Hexagon head sheet metal screws BLT-HEX6	1479**		•				•					
DIN 7977	 Taper pins PIN-TAP	8797**	•										
DIN 7978	 Taper pins PIN-TAP	8736**	•										
DIN 7979	 Parallel pins PIN-PAr	8733 8735*	•										
DIN 7980	 Spring washers	°	•	•	•			•	•				
DIN 7981	 Raised countersunk head sheet metal screws SCR-RD-HEAD	7049**		•	•			•	•				
DIN 7981	 Raised countersunk head sheet metal screws with hexalobular socket SCR-RD-HEAD	14585**		•				•	•				
DIN 7982	 Countersunk sheet metal screws SCR-CNTRSNK	7050***		•				•	•				
DIN 7982	 Countersunk sheet metal screws with point and hexalobular socket SCR-CNTRSNK	14586***		•				•	•				
DIN 7983	 Raised countersunk head sheet metal screws SCR-RD-HEAD	7051***		•				•					
DIN 7984	 Cap screws SCR-CAP		•	•				•	•				
DIN 7985	 Round head screws SCR-RD-HEAD	7045**	•	•	•			•	•				
DIN 7985	 Round head screws with hexagon socket SCR-RD-HEAD	14583*		•	•			•	•				
DIN 7989	 Washers		•			•		•					
DIN 7990	 Hexagon bolts BLT-HEX6					•							
DIN 7991	 Countersunk screws SCR-CNTRSNK	10642***	•	•	•		•	•	•				









*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
°) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket

Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page										
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS
DIN 7991	 Countersunk screws with hexagon socket and safety pin SCR-CNTRSNK							•					
DIN 7991	 Countersunk screws with hexalobular socket and safety pin SCR-CNTRSNK	14581 ***						•					
DIN 7993	 Round-wire snap ring Form A for shafts		•										
DIN 7995	 Raised countersunk head wood screw SCR-RSD-CNTRSNK-HD							•					
DIN 7996	 Round head wood screws SHR-HRD			•				•	•				
DIN 7997	 Countersunk head wood screw							•					
ISO 8752	 Rolled spring pins	1481**	•										
DIN 9021	 Washers	7093-2**	•	•	•								
DIN 9021	 Washers 200 HV					•	•	•	•		•		
DIN 11024	 Spring cotter pin			•					•				
EN 14399 -4	 Hexagon bolts					•							
EN 14399 -4	 Hexagon nuts					•							
EN 14399 -6	 Washers					•							
ISO 14579	 Cap screws with hexalobular socket SCR-CAP			•									
ISO 14580	 Cap screws with hexalobular socket SCR-CAP							•					
ISO 14581	 Countersunk screws with hexalobular socket SCR-CNTRSNK			•									

*) DIN : ISO/EN identical = interchangeable, **) DIN : ISO/EN largely interchangeable, ***) DIN : ISO/EN dimension/shape changes,
) withdrawn without replacement, H = Phillips, Z = Pozidriv, TX = hexalobular socket











Table of contents according to DIN/ISO

DIN/ISO	Designation	ISO	Material / catalog page										
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS
DIN 32501 /3		Welding bolts with external thread						•					
DIN 46320		Flat hexagon nuts NUT-HEX6									•		
DIN 71752		Fork head		•									
DIN 74361		Spherical collar nuts NUT spherical bolts	•										
DIN 74361		Flat collar nut NUT flat collar	•										
DIN 74361		Spherical spring washer	•										
DIN 80701		Locking nut							•				
DIN 80704		Lifting nut							•				
DIN 80705		Hexagon nuts NUT-HEX6	•										

Assortments table of contents

DIN/ISO		Designation
DIN 84		Fillister head screws assortment
DIN 94		Split pin assortment
DIN 471		Circlip assortment
DIN 472		Circlip assortment
DIN 933		Hexagon bolts assortment
DIN 934 - DIN 125		Nuts, washers assortment
DIN 963		Countersunk bolts assortment
DIN 985		Lock nuts assortment
DIN 1481		Rolled spring pins assortment
DIN 6885 A		Parallel keys assortment
DIN 7504		Self-tapping screws assortment
DIN 7971		Pan head sheet metal screws assortment
DIN 7981		Round head sheet metal screws assortment
		Ensats assortment

Table of contents without DIN/ISO

Designation		similar to DIN/ISO	Material / catalog page										
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS
	Contact washers						•						
	Detent-edged washers Form S, M, K		•				•		•				
	Lock washers S		•	•				•					
	Schnorr lock washers VS			•									
	NORD-LOCK standard retaining washer	25201					•		•				
	NORD-LOCK retaining washers type DNL/SP	25201					•						
	Detent-edged rings VSK for hexagon head		•				•	•					
	Detent-edged rings VSKZ for cap screws		•										
	Ribbed lock screws Hexagon socket SCR-CAP-RIB		•										
	Ribbed lock screws Hexagon head 6BLT-HEX-RIB		•	•									
	Ribbed nuts 6NUT-HEX-RIB		•	•									
	Serrated screws 6SCR-HEX-serrated		•	•	•								
	Serrated nuts 6NUT-HEX-serrated		•	•									
	Ensats threaded inserts (Company standard 302)				•			•					
	Ensats threaded inserts (Company standard 302) mini pack			•									
	Ensats threaded inserts (Company standard 307)				•								

[illegible]

Table of contents without DIN/ISO

Designation	similar to DIN/ISO	Material / catalog page										
		St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS
	Knock-in nuts		•									
	Spedec self-drilling screw		•				•					
	Screw lock fluid	•										
	Countersunk head blind rivet FAKKT 7337		•								•	
	Pan head blind rivet FAKKT		•				•				•	
	Large pan head blind rivet K 12 FAKKT		•								•	
	Large pan head blind rivet K 14 FAKKT		•								•	
	Sealing blind rivet FAKKT		•				•		•		•	
	Blind rivet nut hexagon Countersunk head FAKKT		•				•					
	Blind rivet nut hexagon Pan head FAKKT		•				•					
	Blind rivet nut small head FAKKT		•				•					
	Blind rivet nut countersunk head FAKKT		•				•					
	Blind rivet nut pan head FAKKT		•				•					
	Countersunk head blind rivet GESIPA 7337		•								•	
	Spreader blind rivet GESIPA		•								•	
	Pan head blind rivet GESIPA 7337		•				•		•		•	

Table of contents without DIN/ISO

	Designation	similar to DIN/ISO	Material / catalog page										
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS
	Pan head blind rivet Large head K 11 GESIPA			•				•				•	
	Pan head blind rivet large head K 12 GESIPA	7337		•								•	
	Pan head blind rivet Large head K 14 GESIPA			•				•				•	
	Pan head blind rivet Large head K 16 GESIPA			•								•	
	Multi-range polygrip blind rivet GESIPA			•				•				•	
	Bulb-Tite blind rivet GESIPA											•	
	Blind rivet nut countersunk head GESIPA			•								•	
	Blind rivet nut pan head GESIPA			•								•	
	Knock-in dowel - expansion nail							•				•	
	Riveting tools		•										
	Chipboard screws, counter- sunk head cross recess PZ full thread		•	•				•					
	Chipboard screws, counter- sunk head cross recess PZ partial thread		•	•				•					
	Chipboard screws, coun- tersunk head hexalobular socket TX full thread			•	•			•					
	Chipboard screws, coun- tersunk head hexalobular socket TX partial thread			•	•			•					
	Chipboard screws, PAN-HEAD cross recess PZ full thread			•	•			•					
	Chipboard screws, PAN-HEAD hexalobular socket TX full thread			•				•					

Table of contents without DIN/ISO



	Designation	similar to DIN/ISO	Material / catalog page										
			St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS
	Plate head wooden construction screw, hexalobular socket TX							•					
	Power-Fast chipboard screws, countersunk head Cross recess PZ partial thread			•	•			•					
	Power-Fast chipboard screws, countersunk head Cross recess PZ full thread			•	•			•			•		
	Power-Fast chipboard screws, countersunk head Hexalobular socket TX Partial thread			•	•			•	•				
	Power-Fast chipboard screws, countersunk head Hexalobular socket TX Full thread			•	•			•	•				
	Power-Fast chipboard screws, countersunk head, head hole bore 2.4 mm cross recess PZ			•									
	Power-Fast chipboard screws, countersunk head with small head cross recess PZ			•									
	Power-Fast chipboard screws, raised countersunk head cross recess PZ			•	•			•			•		
	Power-Fast chipboard screws, raised countersunk head hexalobular socket TX							•					
	Fischer Power-Fast chipboard screws, pan head cross recess PZ			•	•								
	Power-Fast chipboard screws, pan head hexalobular socket TX			•				•					
	Countersunk head wood screw Hexalobular socket TX				•								
	Washer for countersunk head wooden construction screws				•								
	Plate head wooden construction screws hexalobular socket TX				•								
	Post screws, special round head hexalobular TX							•					
	MDF board screws, floorboard screws, small countersunk head hexalobular socket TX				•								

Table of contents without DIN/ISO

Designation	similar to DIN/ISO	Material / catalog page											
		St	galv.	galv. zinc-plated	tzn	Zl	A2	A4	Cu	Ms	Al	KS	
	Star nuts											•	
	Collar nuts	•											
	Distance screws		•										
	T-head bolts						•						
	Safety nut - shear nut						•						
	Cheese head screws with serration under head	912					•						
	Pre-assembled stud screws with hexagon head type 1						•						
	Pre-assembled stud screws with hexagon head type 2						•						
	Screw studs						•						
	EPDM gaskets for stud screws												•
	Adapter plate						•						